

297352C



Aluminium Telescopic waterfed Handle w/Click Coupling (C), 1600 - 2780 mm, Ø32 mm, Black



This professional telescopic water-fed handle (1600–2840 mm) has an insulated

sleeve for a comfortable grip and a 1/2" quick coupling. Maximum water pressure, 6 bars.

Technical Data

Item Number	297352C
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
California Proposition 65 Compliant	No
SCIP number	e49c50b5-7653-429c-b8f3-803d37b5fefc
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	500 Pcs
Quantity Per Layer (Pallet)	25 Pcs.
Product Diameter	32 mm
Length	1600 mm
Width	31 mm
Height	32 mm
Max. Length	2780 mm
Net Weight	1.02 kg
Weight cardboard (Recycling symbol "20" PAP)	0.07 kg
Tare total	0.07 kg
Gross Weight	1.09 kg
Cubik metre	0.001587 M3
Max. bars pressure	6 Bar
Max usage temperature (non food contact)	50 °C
Gtin-13 Number	5705022973527
GTIN-14 Number (Box quantity)	15705022973524
Customs Tariff No.	76169990
Country of origin	Denmark

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.